



Instrumentation Quick Couplers

A-LOK® and CPI™ Series



ENGINEERING YOUR SUCCESS.

Instrumentation Couplings

A-LOK® and CPI™ Series

- Features:
- Simple push-pull action to connect and disconnect lines—no tools required
 - Reliable, leak-tight O-ring seals for vacuum or pressure systems
 - Couplers and nipples are available valved or unvalved. Valves automatically open when connected and shut off when disconnected to minimize the loss of liquids or gases
 - Positive valve stops prevent flow checking
 - Valve guide positively aligns valve with seat to prevent leakage
 - A-LOK® and CPI™ Series couplers and valved nipples are 100% factory leak tested to 1x10⁻³ cc/s
 - Durable ball-locking mechanism assures reliable connection while distributing the load and providing alignment and swiveling action

- Specifications:
- Vacuum Rating: Parker A-LOK® and CPI™ Series will handle vacuums up to 50 millitorr or .05 mm of Hg absolute pressure


Rated Working Pressure (PSI)

Body Size	1/4" (6 mm)	3/8" (10 mm)	1/2" (12 mm)
Connected	3000	1500	750
Disconnected	3000	1500	750
Connected Under Pressure	250	250	250

Materials of Construction - Stainless Steel Products

Machined Parts	Stainless Steel AISI type 316
Springs	Stainless Steel AISI type 302
Locking Balls	Stainless Steel AISI type 302
Retaining Rings	Stainless Steel AISI type 302
Seals	Fluorocarbon is standard - other materials available


CPI™ Series Performance



Instrumentation Couplings

A-LOK® and CPI™ Series - Couplings


Tube Ends



Body Size	Part No.	Tube Size	A	Hex B	Dia. C	D	D1	Hex E
1/4"	2A-Q4CY*-SSP	1/8"	1.44"	.62"	.86"	.61"	.60"	.44"
1/4"	4A-Q4CY*-SSP	1/4"	1.41"	.62"	.86"	.70"	.70"	.56"
6 mm	M6A-Q4CY*-SSP	6 mm	1.41"	.62"	.86"	.70"	.70"	.56"
3/8"	6A-Q6CY*-SSP	3/8"	1.63"	.75"	.98"	.78"	.76"	.69"
10 mm	M10A-Q6CY*-SSP	10 mm	1.63"	.75"	.98"	.78"	.76"	.69"
1/2"	8A-Q8CY*-SSP	1/2"	2.03"	.94"	1.17"	.91"	.87"	.88"
12 mm	M12A-Q8CY*-SSP	12 mm	2.03"	.94"	1.17"	.91"	.87"	.88"


For CPI replace designator ‘A’ (A-LOK®) with Z

Male Pipe




Body Size	Part No.	Thread Size / NPT	A	Hex B	Dia. C
1/4"	2M-Q4CY*-SSP	1/8"	1.78"	.62"	.86"
1/4"	4M-Q4CY*-SSP	1/4"	1.97"	.62"	.86"
3/8"	4M-Q6CY*-SSP	1/4"	2.19"	.75"	.98"
3/8"	6M-Q6CY*-SSP	3/8"	2.19"	.75"	.98"
1/2"	8M-Q8CY*-SSP	1/2"	2.78"	.94"	1.17"

Female Pipe



Body Size	Part No.	Thread Size / NPT	A	Hex B	Dia. C
1/4"	2F-Q4CY*-SSP	1/8"	1.91"	.62"	.86"
1/4"	4F-Q4CY*-SSP	1/4"	2.22"	.75"	.86"
3/8"	4F-Q6CY*-SSP	1/4"	2.36"	.75"	.98"
3/8"	6F-Q6CY*-SSP	3/8"	2.38"	.88"	.98"
1/2"	8F-Q8CY*-SSP	1/2"	3.03"	1.06"	1.17"

Bulkhead



Body Size	Part No.	Tube Size	A	Hex B	Dia. C	D	D1	Hex E
1/4"	4AH-Q4CY*-SSP	1/4"	1.41"	.62"	.86"	1.09"	1.09"	.56"
3/8"	6AH-Q6CY*-SSP	3/8"	1.63"	.75"	.98"	1.20"	1.18"	.69"
1/2"	8AH-Q8CY*-SSP	1/2"	2.03"	.94"	1.17"	1.38"	1.34"	.88"


Instrumentation Couplings

A-LOK[®] and CPI[™] - Valved Nipples

Instrumentation Couplings

A-LOK[®] and CPI[™] - Non Valved Nipples


Tube Ends



Body Size	Part No.	Tube Size	A	Hex B	Dia. C	D	D1	Hex E
1/4"	2A-Q4VY*-SS	1/8"	2.45"	.44"	.62"	.61"	.60"	.44"
1/4"	4A-Q4VY*-SS	1/4"	1.95"	.44"	.62"	.70"	.70"	.56"
6 mm	M6A-Q4VY*-SS	6 mm	1.95"	.44"	.62"	.70"	.70"	.56"
3/8"	6A-Q6CY*-SS	3/8"	2.00"	.56"	.74"	.78"	.76"	.69"
10 mm	M10A-Q6VY*-SS	10 mm	2.00"	.56"	.74"	.78"	.76"	.69"
1/2"	8A-Q8VY*-SS	1/2"	2.45"	.75"	.88"	.91"	.87"	.88"
12 mm	M12A-Q8VY*-SS	12 mm	2.45"	.75"	.88"	.91"	.87"	.88"


For CPI replace designator ‘A’ (A-LOK[®]) with Z

Male Pipe



Body Size	Part No.	Thread Size / NPT	A	Hex B	Dia. C
1/4"	2M-Q4VY*-SS	1/8"	2.58"	.44"	.62"
1/4"	4M-Q4VY*-SS	1/4"	2.24"	.56"	.62"
3/8"	4M-Q6VY*-SS	1/4"	2.15"	.56"	.74"
3/8"	6M-Q6VY*-SS	3/8"	2.30"	.75"	.74"
1/2"	8M-Q8VY*-SS	1/2"	2.84"	.88"	.88"

Female Pipe




Body Size	Part No.	Thread Size / NPT	A	Hex B	Dia. C
1/4"	2F-Q4VY*-SS	1/8"	2.04"	.56"	.62"
1/4"	4F-Q4VY*-SS	1/4"	2.25"	.75"	.62"
3/8"	4F-Q6VY*-SS	1/4"	2.28"	.75"	.74"
3/8"	6F-Q6VY*-SS	3/8"	2.34"	.88"	.74"
1/2"	8F-Q8VY*-SS	1/2"	2.87"	1.06"	.88"

*For alternative seal materials replace designator ‘Y’ (Fluorocarbon) with one of the following;

Seal Material	
Nitrile	N
EPR (Ethylene Propylene)	W
Neoprene	Z
Perfluoroelastomer	K


Tube Ends



Body Size	Part No.	Tube Size	A	Hex B	Dia. C	D	D1	Hex E
1/4"	2A-Q4P-SS	1/8"	2.45"	.44"	.62"	.61"	.60"	.44"
1/4"	4A-Q4P-SS	1/4"	1.95"	.44"	.62"	.70"	.70"	.56"
3/8"	6A-Q6P-SS	3/8"	2.00"	.56"	.74"	.78"	.76"	.69"
1/2"	8A-Q8P-SS	1/2"	2.45"	.75"	.88"	.91"	.87"	.88"


For CPI replace designator ‘A’ (A-LOK[®]) with Z

Male Pipe



Body Size	Part No.	Thread Size / NPT	A	Hex B	Dia. C
1/4"	2M-Q4P-SS	1/8"	2.58"	.44"	.62"
1/4"	4M-Q4P-SS	1/4"	2.24"	.56"	.62"
3/8"	4M-Q6P-SS	1/4"	2.15"	.56"	.74"
3/8"	6M-Q6P-SS	3/8"	2.30"	.75"	.74"
1/2"	8M-Q8P-SS	1/2"	2.84"	.88"	.88"

Female Pipe



Body Size	Part No.	Thread Size / NPT	A	Hex B	Dia. C
1/4"	2F-Q4P-SS	1/8"	2.04"	.56"	.62"
1/4"	4F-Q4P-SS	1/4"	2.25"	.75"	.62"
3/8"	4F-Q6P-SS	1/4"	2.28"	.75"	.74"
3/8"	6F-Q6P-SS	3/4"	2.34"	.88"	.74"
1/2"	8F-Q8P-SS	1/2"	2.87"	1.06"	.88"

Notes

Notes

Parker Worldwide

Europe, Middle East, Africa

AE – United Arab Emirates, Dubai

Tel: +971 4 8127100
parker.me@parker.com

AT – Austria, Wiener Neustadt

Tel: +43 (0)2622 23501-0
parker.austria@parker.com

AT – Eastern Europe, Wiener Neustadt

Tel: +43 (0)2622 23501 900
parker.easteurope@parker.com

AZ – Azerbaijan, Baku

Tel: +994 50 2233 458
parker.azerbaijan@parker.com

BE/LU – Belgium, Nivelles

Tel: +32 (0)67 280 900
parker.belgium@parker.com

BG – Bulgaria, Sofia

Tel: +359 2 980 1344
parker.bulgaria@parker.com

BY – Belarus, Minsk

Tel: +48 (0)22 573 24 00
parker.poland@parker.com

CH – Switzerland, Etoy

Tel: +41 (0)21 821 87 00
parker.switzerland@parker.com

CZ – Czech Republic, Klecany

Tel: +420 284 083 111
parker.czechrepublic@parker.com

DE – Germany, Kaarst

Tel: +49 (0)2131 4016 0
parker.germany@parker.com

DK – Denmark, Ballerup

Tel: +45 43 56 04 00
parker.denmark@parker.com

ES – Spain, Madrid

Tel: +34 902 330 001
parker.spain@parker.com

FI – Finland, Vantaa

Tel: +358 (0)20 753 2500
parker.finland@parker.com

FR – France, Contamine s/Arve

Tel: +33 (0)4 50 25 80 25
parker.france@parker.com

GR – Greece, Athens

Tel: +30 210 933 6450
parker.greece@parker.com

HU – Hungary, Budaörs

Tel: +36 23 885 470
parker.hungary@parker.com

IE – Ireland, Dublin

Tel: +353 (0)1 466 6370
parker.ireland@parker.com

IL – Israel

Tel: +39 02 45 19 21
parker.israel@parker.com

IT – Italy, Corsico (MI)

Tel: +39 02 45 19 21
parker.italy@parker.com

KZ – Kazakhstan, Almaty

Tel: +7 7273 561 000
parker.easteurope@parker.com

NL – The Netherlands, Oldenzaal

Tel: +31 (0)541 585 000
parker.nl@parker.com

NO – Norway, Asker

Tel: +47 66 75 34 00
parker.norway@parker.com

PL – Poland, Warsaw

Tel: +48 (0)22 573 24 00
parker.poland@parker.com

PT – Portugal

Tel: +351 22 999 7360
parker.portugal@parker.com

RO – Romania, Bucharest

Tel: +40 21 252 1382
parker.romania@parker.com

RU – Russia, Moscow

Tel: +7 495 645-2156
parker.russia@parker.com

SE – Sweden, Spånga

Tel: +46 (0)8 59 79 50 00
parker.sweden@parker.com

SK – Slovakia, Banská Bystrica

Tel: +421 484 162 252
parker.slovakia@parker.com

SL – Slovenia, Novo Mesto

Tel: +386 7 337 6650
parker.slovenia@parker.com

TR – Turkey, Istanbul

Tel: +90 216 4997081
parker.turkey@parker.com

UA – Ukraine, Kiev

Tel: +48 (0)22 573 24 00
parker.poland@parker.com

UK – United Kingdom, Warwick

Tel: +44 (0)1926 317 878
parker.uk@parker.com

ZA – South Africa, Kempton Park

Tel: +27 (0)11 961 0700
parker.southafrica@parker.com

North America

CA – Canada, Milton, Ontario

Tel: +1 905 693 3000

US – USA, Cleveland

Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill

Tel: +61 (0)2-9634 7777

CN – China, Shanghai

Tel: +86 21 2899 5000

HK – Hong Kong

Tel: +852 2428 8008

IN – India, Mumbai

Tel: +91 22 6513 7081-85

JP – Japan, Tokyo

Tel: +81 (0)3 6408 3901

KR – South Korea, Seoul

Tel: +82 2 559 0400

MY – Malaysia, Shah Alam

Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington

Tel: +64 9 574 1744

SG – Singapore

Tel: +65 6887 6300

TH – Thailand, Bangkok

Tel: +662 186 7000

TW – Taiwan, Taipei

Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires

Tel: +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos

Tel: +55 800 727 5374

CL – Chile, Santiago

Tel: +56 2 623 1216

MX – Mexico, Toluca

Tel: +52 72 2275 4200

Parker Hannifin Manufacturing Ltd.

Instrumentation Products Division,
Europe
Pottington Business Park
Barnstaple, EX31 1NP
United Kingdom
Tel.: +44 (0) 1271 31 31 31
www.parker.com/ipd

Parker Hannifin Corporation

Instrumentation Products Division
1005 A Cleaner Way
Huntsville
AL 358050
United States of America
Tel.: +1 (256) 881 2040
www.parker.com/ipd

EMEA Product Information Centre

Free phone: 00 800 27 27 5374
(from AT, BE, CH, CZ, DE, DK, EE, ES, FI, FR, IE, IL, IS, IT, LU, MT, NL, NO, PL, PT, RU, SE, SK, UK, ZA)
US Product Information Centre
Toll-free number: 1-800-27 27 537
www.parker.com

